



IECEx Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification Scheme for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.:

IECEx UL 14.0077X

issue No.:1

Certificate history:

Issue No. 1 (2014-9-24)

Issue No. 0 (2014-8-28)

Status:

Current

Date of Issue:

2014-09-24

Page 1 of 4

Applicant:

Pelican Products Inc.
23215 Early Avenue
Torrance, CA 90505
United States of America

Electrical Apparatus:
Optional accessory:

Flashlight, Model 9415Z0

Type of Protection:

Intrinsic Safety "ia"

Marking:

Ex ia IIC T4 Ga
-20° to +40°C

*Approved for issue on behalf of the IECEx
Certification Body:*

Paul T. Kelly

Position:

Principal Engineer, Global Hazardous Locations

*Signature:
(for printed version)*

Date:

2014-09-24

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting the [Official IECEx Website](http://www.iecex.com).

Certificate issued by:

UL LLC
333 Pfingsten Road
Northbrook IL 60062-2096
United States of America





IECEx Certificate of Conformity

Certificate No.: IECEx UL 14.0077X

Date of Issue: 2014-09-24

Issue No.: 1

Page 2 of 4

Manufacturer: **Pelican Products Inc.**
23215 Early Avenue
Torrance, CA 90505
United States of America

Additional Manufacturing location
(s):

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended.

STANDARDS:

The electrical apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:

IEC 60079-0 : 2011 Edition: 6.0	Explosive atmospheres - Part 0: General requirements
IEC 60079-11 : 2011 Edition: 6.0	Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"
IEC 60079-26 : 2006 Edition: 2	Explosive atmospheres - Part 26: Equipment with equipment protection level (EPL) Ga

*This Certificate **does not** indicate compliance with electrical safety and performance requirements other than those expressly included in the Standards listed above.*

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in

Test Report:

[US/UL/ExTR14.0107/00](#)

[US/UL/ExTR14.0107/01](#)

Quality Assessment Report:

[GB/FME/QAR08.0002/06](#)



IECEx Certificate of Conformity

Certificate No.: IECEx UL 14.0077X

Date of Issue: **2014-09-24**

Issue No.: 1

Page 3 of 4

Schedule

EQUIPMENT:

Equipment and systems covered by this certificate are as follows:

The device is a hand-held LED Flashlight powered by a rechargeable battery pack containing four Nickel-Metal Hydride cells. The battery pack is intended to be user replaceable in a non-hazardous area only. The flashlight is intended to be recharged in a non-hazardous area with apparatus having a $U_m = 12Vdc$.

CONDITIONS OF CERTIFICATION: YES as shown below:

- The LED Head Assembly is covered with conductive coating to avoid build-up of electrostatic charge. The coating is humidity independent and the operating temperature is up to 155°C. Do not use in Hazardous Area if the coating is flaking or peeling.
- The maximum measured capacitance of exposed metal parts is 13pF.



IECEx Certificate of Conformity

Certificate No.: IECEx UL 14.0077X

Date of Issue: **2014-09-24**

Issue No.: **1**

Page 4 of 4

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above):

Issue 1: Minor revision to documentation.